

**To:** McComb, Martin[McComb.Martin@epa.gov]; Merritt, Steven[Merritt.Steven@epa.gov]; Cristiano, Gina[Cristiano.Gina@epa.gov]  
**From:** Dhieux, Joyel  
**Sent:** Sun 8/9/2015 4:29:14 AM  
**Subject:** Fwd: Red and Bonita Water Treatment  
Red and Bonita Water Treatment - 2015.docx  
ATT00001.htm

I'm not sure if we are still waiting for arsenic data. Here is arsenic info from Red and Bonita that might help us answer questions.

J

Joyel R. Dhieux  
Federal On-Scene Coordinator  
U.S. Environmental Protection Agency  
Ph: 303-312-6647  
Cell: 720-441-9961

Begin forwarded message:

**From:** "Christner, Jan" <Jan.Christner@WestonSolutions.com>  
**Date:** August 8, 2015 at 10:35:58 AM MDT  
**To:** "griswold.hays@epa.gov" <griswold.hays@epa.gov>, "myers.craig@epa.gov" <myers.craig@epa.gov>, "dhieux.joyel@epa.gov" <dhieux.joyel@epa.gov>  
**Cc:** "way.steven@epa.gov" <way.steven@epa.gov>  
**Subject:** Red and Bonita Water Treatment

Hi,

Steve asked me to send you information about the 2015 water treatment at Red and Bonita Mine – See attached.

The part about water chemistry may be more than you want at this point. We collected 2 samples prior to treatment, but as far as I know we haven't gotten the results from the ESAT lab. I am trying to follow up on that. We collected a post-treatment sample on the 3<sup>rd</sup> day of treatment and had rush turnaround time analysis at a different lab. The analytical results for the post-treatment sample and duplicate are presented in the document and compared to previous year's treatment discharge and untreated mine discharge (not during a mine entry) analytical results. The results will be more meaningful when we get pre-treatment sample analytical results.

Please let me know if you have questions, need modifications to the document, or need additional information.

Jan

Jan Christner

Weston Solutions, Inc.

505-269-1925 (cell)

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.